

AFO WORK ORDER

Company Name _____
 Company Contact _____
 Phone _____ Fax _____
 Shipping Address _____

Billing Address _____

Patient Name: _____
Height: _____ **Weight:** _____
Activity Level: _____
BiLateral **Right** **Left**
Endo **Exo**

ORTHOSIS TYPE

- UCBL
- SMO
- AFO
- SAAFO
- FLOOR REACTION
- PTB
- PLS
- BI-VALVE AFO
- CROW BOOT

Other _____
 Color: *White Flesh Black Blue Red Pink Other:* _____

ANKLE JOINT TYPE

- Solid
- Solid (2 Stage)
- Semi-Ridged
- PLS
- Multi-Position
- Articulating(select below)
 - Clevis Spear
 - Oklahoma: S M L XL
 - Tamarack: P M L
 - Tamarack Dorsi: 75 85 95
- Other _____


ANKLE JOINT STOPS

- 90° Stop (PP or Equal)
- 90° Stop (Screw Post)
- Other _____
- Plantar
- Dorsi

AFO ADD-ONS

- Forefoot Post - M L N
- Hind foot Post - M L N
- Calf Strap
- Ankle Strap
 - 45°
 - Other _____
- Custom Y-Strap - M L
- Carbon Inserts
- Ant. Panel - Foam Lined
- Ant. Panel - Non-Lined
- Foam Lining

- Aliplast - 1/8 3/16
- Plastazote - 1/8 3/16
- Partial (As Drawn)
- Malleolus Padding
 - Aliplast- 1/8 3/16
 - Bock Lite - 2m 3m 4m 5m
- Integral Padding
 - Bock Lite - 2m 3m 4m 5m
 - Other _____
- Paper Transfer
 Description _____



Met ML: _____
 Foot Length: _____

CAST CORRECTION

- FORFOOT
 - Leave as casted
 - Correct Adduction
 - Correct Abduction
 - Correct Supination
 - Correct Pronation
- ANKLE
 - Leave as casted
 - To 90°
 - To _____° Planterflex
 - To _____° Dorsiflex
 - Valgus/Valgus


Other _____

PLASTIC

- PolyPro- 3/32 1/8 5/32 3/16 1/4
- PolyEth - 1/8 3/16 1/4
- CoPolymer- 1/8 5/32 3/16 1/4
- TPE - 1/8 5/32 3/16
- Dura-Flex - 3MM 5MM

AFO TRIM

- DORSAL WRAP
- LOW M/L TRIMLINES
- CLUB TRIM
- REVERSE CLUB TRIM
- SABOLICH TRIM — M L
- FULL TOE PLATE
- TRIMLINE PROX. TO METS
- SULCUS TRIMLINE
- ROLL PROXIMAL TRIMLINE
- AS DRAWN BELOW



Special Notes: _____

